



# Williams Products, Inc

1750 Maplelawn

Troy, MI. 48084

Toll Free: 800-521-9594 Phone: 248-643-6400

Fax: 248-643-7117

## Product Index

### DIVISION 3 CONCRETE

#### Bearing Pads

Com-Pad 100  
Bear-Pad 200  
Fab-Pad 300  
1200 Series  
AASHTO Grade Neoprene

Masticated Rubber  
Cross Laminated with oriented fibers  
Laminated, rubber and ductile fabric  
Commercial Grade Dense Neoprene  
Conforms to AASHTO requirements, 2500 PSI tensile strength

#### Rubber Waterstop

Compounds  
Sizes(widths)  
Profiles

Neoprene, Styrene-Butadiene-Rubber(SBR)  
6" & 9"  
Dumbbell(DB) and Centerbulb(CB)

#### Rubber "J" Gate Seals

Hi Tensile Neoprene Williams Compound # 1025

#### Expansion Joints

Econ-O-Foam  
EJ-2000  
NN-1, 1040 Series  
1300 Series  
1400 Series  
1752 Highway Modified  
Expand-O-Foam - 900

CCPE  
XL Polyolifin  
Closed Cell Neoprene  
Concrete Gray Sponge Rubber  
Open Cell Neoprene (Vibration Isolation)  
Isomeric Polyolefin Resilient Flexible Gray Foam.  
Closed Cell Polyethelene Foam, ASTM D-3575 & ASTM D-1056  
(Modified).

Everlastic® MPP 100 Proplastic

Isotropic Polyolefin Resilient Molded Foam, White in color.

### DIVISION 4 MASONRY

Column Isolation  
Column Boxboard  
Econ-O-Foam  
EJ-2000

Coated Corrugated  
CCPE  
XL Polyolifin

#### CMU Control Joints (Vertical)

Slot Seal Standard, Wide Flange, Block Seal  
Hard rubber cross shape, shear keys in sash blocks





# Williams Products, Inc

1750 Maplelawn

Troy, MI. 48084

Toll Free: 800-521-9594 Phone: 248-643-6400

Fax: 248-643-7117

## Weatherite R, Everlastic® M-CJ

Compressible Filler to seal Michigan Control Joints

Econ-O-Foam for Bond Break in core

Compressible to accommodate movement

## CMU Expansion Joint (Horizontal)

Fill gap at top of wall

Expand-O-Foam

EVA 200G

## Air Seal Gasket

1056 Joint Filler

## Partition Closures

Close off gap between wall and deck (flat or fluted)

Special Fabrications

EVA 200

EPDM, 3000 Series

Fire Rated

Dyna Shield Ceramic Fiber Joint Filler

## Vapor Barrier

MWM-40

Masonry Wall Membrane

## Flashing

MF-40

Self Stick, Rubberized Asphalt

EPDM Membrane

Available by special order

Neoprene Membrane

Available by special order

PVC

10 mil to 56 mil

Available by special order





# Williams Products, Inc

1750 Maplelawn

Troy, MI. 48084

Toll Free: 800-521-9594 Phone: 248-643-6400

Fax: 248-643-7117

## Anchor Gaskets

Self-stick, CC Neoprene

Thermal and moisture break behind anchors

## Brick Expansion Joints

Neo Seal IV

Neoprene profile allows maximum movement

## M-CJ

Self-stick, CC Rubber Joint Filler

## Econ-O-Foam

Filler is inherent bond breaker for most sealants

## Coping Gaskets

Special shapes

Variety of Materials

## Brick Vents

Williams-Goodco PVC Brick Vents

Ventilates and equalizes pressure within cavity

Sizes, 2 - 1/4", 2 - 3/4", 3 - 5/8"

Colors, Standard Gray, We can dye to match mortar color

